

ALESSANDRO MASCAGNI & CINZIA MONTE

**SECONDO AGGIORNAMENTO ALLA CHECKLIST  
DEGLI HETEROGERIDAE DELLA REGIONE AFROTROPICALE  
(Coleoptera, Heteroceridae)**

**Riassunto.** Vengono riportati nuovi dati sulla distribuzione di alcune specie di Heteroceridae della regione Afrotropicale; viene inoltre segnalata, per la prima volta, la presenza in Botswana di *Augyles namibiensis* Skalický, in Burkina Faso di *Augyles parvus* (Grouvelle), *Heterocerus elongatus* Grouvelle e *H. nodieri* Grouvelle, in Mozambico di *Augyles pallens* (Charpentier), *Heterocerus atroincertus* Charpentier, *H. elongatus* Grouvelle, *H. ornatus* Grouvelle, *H. thebaicus australis* Charpentier, in Sud Africa di *Heterocerus nodieri* Grouvelle, nello Zaire di *Augyles niloticus* (Grouvelle) ed *Heterocerus abyssinicus* Mamitza, in Zambia di *Heterocerus abyssinicus* Mamitza.

**Abstract.** Second updating of the knowledge on the Afrotropical Heteroceridae (Coleoptera, Heteroceridae). New data are reported on the distribution of some Heteroceridae species from Afrotropical region. For the first time are recorded: *Augyles namibiensis* Skalický from Botswana, *Augyles parvus* (Grouvelle), *Heterocerus elongatus* Grouvelle and *H. nodieri* Grouvelle from Burkina Faso, *Augyles pallens* (Charpentier), *Heterocerus atroincertus* Charpentier, *H. elongatus* Grouvelle, *H. ornatus* Grouvelle, *H. thebaicus australis* Charpentier from Mozambique, *Heterocerus nodieri* Grouvelle from South Africa, *Augyles niloticus* (Grouvelle) and *Heterocerus abyssinicus* Mamitza from Zaire, *Heterocerus abyssinicus* Mamitza from Zambia. Finally is reported the checklist of known species for every african nations.

**Key words.** Coleoptera, Heteroceridae, Afrotropical region, Palaearctic Africa, faunistic, checklist.

### Introduzione

A distanza di quattro anni dalla pubblicazione del primo aggiornamento (MASCAGNI & MONTE, 2005) e a seguito di tutti i nostri precedenti lavori sugli Heteroceridae della regione Afrotropicale (MASCAGNI & MONTE, 2000, 2001, 2002, 2003a, 2003b e MASCAGNI, 2007), che hanno comportato l'esame e la determinazione complessiva di oltre 15000 esemplari provenienti da 34 musei e 7 collezioni private, si rende ora necessario fornire nuovi dati relativi a questa area geografica. La maggior parte del materiale citato in questo lavoro (per un totale di 2650 esemplari) proviene dalle collezioni del Transvaal Museum of Natural History di Pretoria (South Africa) e dell'Institut royal des Sciences naturelles de Belgique (Bruxelles).

Acronimi dei Musei e collezioni private:

CMF	Coll. C. Monte, Firenze, Italy.
CMS	Coll. A. Mascagni, Scandicci (FI), Italy
CSU	Coll. S. Skalický, Ustí nad Orlicí, Czech Republic.
ISBN	Institut royal des Sciences naturelles de Belgique, Bruxelles, Belgique.
MZUF	Museo di Scienze Naturali dell'Università degli Studi di Firenze, sezione di Zoologia "La Specola"
SANC	South African National Collection of Insects, ARC-Plant Protection Research

	Institute Pretoria, South Africa.
SMNS	Staatliches Museum für Naturkunde, Stuttgart, Germany.
TMSA	Transvaal Museum of Natural History, Pretoria, South Africa.
ZMHB	Museum Naturkunde der Humboldt-Universität, Berlin, Germany

### Elenco dei dati

#### BENIN

*Augyles nadas Skalický, 2004*

Ndali, 3 km W of Sontou, 4/5-VII-2001, A. Kudrna jr.!, 1 es. (Holotypus ♂) in CSU.

*Heterocerus elongatus Grouvelle, 1896*

Ndali, 3 km W of Sontou, 4/5-VII-2001, A. Kudrna jr.!, 5 es. in CSU. – Benin village Akongbere near Save, 8/26-IV-2000, A. Kudrna jr.!, 1 es. in CSU. – 50 km SW of Parakou, 5 km SW of Woubero, 1/2-VIII-2001, A. Kudrna jr.!, 1 es. in CSU. – S Benin, 1 km E of Challa – Ogoyi, 20 km E of Ouesse, 20/21-VI-2001, A. Kudrna jr.!, 2 es. in CSU. – NW Benin, 30 km SE Natitingou, 5 km E of Sina Issire, 30-VI/1-VII-2001, A. Kudrna jr.!, 1 es. in CSU. – NW Benin, N of Natitingou, 5 km NE of Kouarfa, 26/27-VI-2001, A. Kudrna jr.!, 1 es. in CSU. – NW Benin, 15 km N of Kouarfa Bouyagnindi village, 27/28-VI-2001, A. Kudrna jr.!, 1 es. in CSU.

*Heterocerus mus Charpentier, 1965*

Ndali, 3 km W of Sontou, 4/5-VII-2001, A. Kudrna jr.!, 2 es. in CSU.

*Heterocerus thebaicus thebaicus Grouvelle, 1896*

S Benin village Akongbere near Save, 16/20-VI-2001, A. Kudrna jr.!, 1 es. in CSU.

#### BOTSWANA

*Augyles namibiensis Skalický, 1999*

SE Botswana, Tuli Blok, 25 km NE of Sherwood, near the Limpopo river banks, at light, 20/21-IV-2003, A. Sforzi & L. Bartolozzi!, 1 es. in coll. MZUF, 1 es. in CMS.

*Nota:* prima segnalazione della specie per il Botswana.

*Heterocerus elongatus Grouvelle, 1896*

SE Botswana, Tuli Blok, Tuli Safari Area nr Pont Drift, Limpopo river banks, at light, 22/23-IV-2003, A. Sforzi & L. Bartolozzi!, 1 es. in CMS.

*Heterocerus thebaicus australis Charpentier, 1965*

Chizwina, Francistown-Mosetse, 20°41' S / 26°45,6' E, black light, 5-V-1995, J. Harrison!, 2 es. in coll. TMSA ; SE Botswana, Tuli Blok, 25 km NE of Sherwood, near the Limpopo river banks, at light, 20/21-IV-2003, A. Sforzi & L. Bartolozzi!, 4 es. in coll. MZUF, 1 es. in CMS; SE Botswana, Tuli Blok, Tuli Safari Area nr Pont Drift, Limpopo river banks, at light, 22/23-IV-2003, A. Sforzi & L. Bartolozzi!, 5 es. in coll. MZUF, 2 es. in CMS, 1 es. in CMF.

#### BURKINA FASO

*Augyles parvus (Grouvelle, 1909)*

Compienga, m 161, 11°05'05" N / 0°42'4" E, at light, 21-VIII-2005, Moretto!, 1 es. in CMS.

*Nota:* prima segnalazione della specie per il Burkina Faso.

*Heterocerus elongatus Grouvelle, 1896*

Compienga, m 161, 11°05'05" N / 0°42'42" E, at light, 21-VIII-2005, Moretto!, 3 es. in coll. MZUF, 2 es. in CMS.

*Nota:* prima segnalazione della specie per il Burkina Faso.

*Heterocerus nodieri* Grouvelle, 1919

Compienga, m 161, 11°05'05" N / 0°42'42" E, at light, 21-VIII-2005, Moretto!, 4 es. in coll. MZUF, 2 es. in CMS, 1 es. in CMF.

*Nota:* prima segnalazione della specie per il Burkina Faso.

Fino ad ora nessuna specie di Heteroceridae era nota del Burkina Faso.

## GHANA

*Augyles niloticus* (Grouvelle, 1896)

Ashanti Reg., Kumasi, Nhiasu, 6°43' N / 1°36' W, at light, 9-X-1967, Endrödy-Younga!, 1 es. in coll. TMSA, 1 es. in CMF, 27-X-1967, Endrödy-Younga!, 7 es. in coll. TMSA, 1 es. in CMS.

*Heterocerus elongatus* Grouvelle, 1896

Northern Reg., Ashanti, Kumasi, Nhiasu, 6°43' N / 1°36' W, light trap, 9-X-1967, Endrödy-Younga!, 1 es. in coll. TMSA, 18-X-1967, Endrödy-Younga!, 4 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Northern Reg., Damongo Game Res., 9°04' N / 1°48' W, at light, 12-VIII-1971, Endrödy-Younga!, 2 es. in coll. TMSA.

*Heterocerus nodieri* Grouvelle, 1919

Northern Reg., Damongo Game Res., 9°04' N / 1°48' W, at light, 12-VIII-1971, Endrödy-Younga!, 44 es. in coll. TMSA, 2 es. in CMS, 2 es. in CMF; Northern Reg., Tamale, 9°25' N / 0°51' W, at light, 28-VI-1971, Endrödy-Younga!, 1 es. in coll. TMSA.

## MADAGASCAR

*Heterocerus montanus* Grouvelle, 1906

Antananarivo, 18°53' S / 47°33' E, at light, 4-XI-1998, R. Müller!, 1 es. in coll. TMSA; Eastern Andasibe (Périnet), 18°56' S / 48°25' E, light trap, 5/8-XI-1998, R. Müller!, 6 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF.

## MOZAMBICO

*Augyles pallens* (Charpentier, 1965)

Manica Pr., 60 km W Chitobe m 302, 20°48' S / 32°57' E, at light, 15-XII-2005, Gussmann & Müller!, 23 es. in coll. TMSA, 2 es. in CMS, 2 es. in CMF.

*Nota:* prima segnalazione della specie per il Mozambico.

*Heterocerus atroincertus* Charpentier, 1965

Manica Pr., 60 km W Chitobe m 302, 20°48' S / 32°57' E, at light, 15-XII-2005, Gussmann & Müller!, 3 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF.

*Nota:* prima segnalazione della specie per il Mozambico.

*Heterocerus elongatus* Grouvelle, 1896

Manica Pr., 60 km W Chitobe m 302, 20°48' S / 32°57' E, at light, 15/21-XII-2005, Gussmann & Müller!, 18 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Sofala Pr, Gorongosa N. P., m 24, 18°58' S / 34°21' E, day collecting & at light, 19-XII-2005, Gussmann & Müller!, 2 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF.

*Nota:* prima segnalazione della specie per il Mozambico.

*Heterocerus ornatus* Grouvelle, 1906

Manica Pr., 60 km W Chitobe m 302, 20°48' S / 32°57' E, at light, 15-XII-2005, Gussmann & Müller!, 5 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Sofala Pr, Gorongosa N. P., m 24, 18°58' S / 34°21' E, day collecting & at light, 19-XII-2005, Gussmann & Müller!, 1 es. in coll. TMSA.

*Nota:* prima segnalazione della specie per il Mozambico.

*Heterocerus thebaicus australis* Charpentier, 1965

Manica Pr., 60 km W Chitobe m 302, 20°48' S / 32°57' E, at light, 15-XII-2005, Gussmann & Müller!, 6 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Sofala Pr, Gorongosa N. P., m 24, 18°58' S / 34°21' E, day collecting & at light, 19-XII-2005, Gussmann & Müller!, 1 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF.

*Nota:* prima segnalazione della specie per il Mozambico.

Fino ad ora nessuna specie di Heteroceridae era nota del Mozambico.

## NAMIBIA

*Augyles namibiensis* Skalický, 1999

NW Namibia, 50 km NW Opuwo, m 1300, 13-IV-2005, W. Schawaller!, 8 es. in coll. SMNS, 2 es. in CMS (MASCAGNI, 2007).

*Heterocerus elongatus* Grouvelle, 1896

Rundu Distr., 120 km E Rundu m 1062, 18°02' S / 20°51' E, light trap, 16-III-2006, R. Müller!, 1 es. in coll. TMSA; N Namibia, Waterberg Park, m 1400, 21/23-IV-2005, W. Schawaller!, 5 es. in coll. SMNS, 1 es. in CMS (MASCAGNI, 2007); Okawango Dist., Mutombo, 60 km S Rundu, m 1180 NN, 18°18'38,7" S / 19°15'29,4" E, hand light trap, 13-III-2003, J. Frisch & K. Vohland!, 2 es. in coll. ZMHB.

*Heterocerus ornatus* Grouvelle, 1906

Okawango Dist., Mutombo, 60 km S Rundu, m 1180 NN, 18°18'38,7" S / 19°15'29,4" E, hand light trap, 11-III-2003, J. Frisch & K. Vohland!, 1 es. in coll. ZMHB; Rundu Distr., 17 km E Rundu m 1059, 17°51' S / 19°54' E, light trap, 14-III-2006, R. Müller!, 14 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Rundu Distr., 120 km E Rundu m 1062, 18°02' S / 20°51' E, light trap, 16-III-2006, R. Müller!, 5 es. in coll. TMSA; NE Namibia, 20 km E Rundu, m 1100, 13/14-III-2006, W. Schawaller!, 8 es. in coll. SMNS, 2 es. in CMS (MASCAGNI, 2007); NW Namibia, 5 km SW Opuwo, m 900, 10-IV-2005, W. Schawaller!, 1 es. in coll. SMNS (MASCAGNI, 2007).

*Heterocerus schawallensis* Mascagni, 2007

Grootfontein Di, m 1200, 50 km NE Grootfontein, 19°13' S / 18°29' E, at light, 8/9-III-2006, W. Schawaller!, 2 es. (Holotypus ♂ e Allotypus ♀) in coll. SMNS (MASCAGNI, 2007); Grootfontein Di, m 1212, 50 km NE Grootfontein, 19°13' S / 18°29' E, at light, 8-III-2006, R. Müller!, 1 es. ♂ in coll. TMSA.

*Heterocerus thebaicus australis* Charpentier, 1965

Otjiwarongo Di, 45 km SE Okakarara, 20°56' S / 17°42' E, light trap, 5-III-2006, R. Müller!, 10 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; N Namibia, 50 km S Okakarara, m 1400, 4/5-III-2006, W. Schawaller!, 4 es. in coll. SMNS, 1 es. in CMS (MASCAGNI, 2007); N Namibia, 45 km SE Okakarara, m 1300, 24/25-IV-2005, W. Schawaller!, 7 es. in coll. SMNS (MASCAGNI, 2007); NE Namibia, 50 km NE Grootfontein, m 1200, 8/9-III-2006, W. Schawaller!, 1 es. in coll. SMNS, 1 es. in CMS (MASCAGNI, 2007); NE Namibia, 20 km SE Divundu, m 1000, 17-III-2006, W. Schawaller!, 1 es. in coll. SMNS, 1 es. in CMS (MASCAGNI, 2007); NW Namibia, Ongongo Falls, m 700, 17/18-IV-2005, W. Schawaller!, 9 es. in coll. SMNS, 1 es. in CMS (MASCAGNI, 2007), 17-IV-2005, R. Müller!, 2 es. in coll. TMSA; NW Namibia, Purros, m 300 (Hoarusib Valley), 18°44' S / 12°56' E, 15/16-IV-2005, W. Schawaller!, 1 es. in coll. SMNS (MASCAGNI, 2007), at light, 15-IV-2005, R. Müller!, 1 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Otjozondjupa Dist., Otjiamongombe West 44, m 1498 NN, 21°35'44.7" S / 16°56'17.4" E, hand light trap, 26/28-II-2003, J. Frisch & K. Vohland!, 84 es. in coll. ZMHB, 3 es. in CMS, 3 es. in CMF, 1-III-2003, J. Frisch & K. Vohland!, 1 es. in coll. ZMHB; Otjozondjupa Dist., Toggekry 250 (Omatako), m 1100 NN, 21°30'42,9" S / 16°43'56,6" E, hand light trap, 5/8-III-2003, J. Frisch & K. Vohland!, 4 es in coll. ZMHB, 1 es. in CMS; Keetmanshoop Dist., Gellap Agr. Exp. Stat, m 1080 NN, 26°24'42,2" S / 18°00'45,0" E, at light, 15/19-V-2002, A. Hoffmann!, 6 es. in coll. ZMHB, 1 es. in CMS, 1 es. in CMF; Keetmanshoop Dist., Gellap Agr. Exp. Stat, m 1120 NN, 26°24'35,8" S / 18°00'44,7" E, automatic light trap, 4/6-III-

2003, P. Schönefeld!, 7 es. in coll. ZMHB, 1 es. in CMS, 1 es. in CMF; Keetmanshoop Dist., Gellap Agr. Exp. Stat, m 1120 NN, 26°24'36.1" S / 18°00'28.8" E, automatic light trap, 5/6-III-2003, P. Schönefeld!, 6 es. in coll. ZMHB; Keetmanshoop Dist., Gellap Agr. Exp. Stat, m 1120 NN, 26°24'42.2" S / 18°00'45.0" E, hand light trap, 6-III-2003, P. Schönefeld!, 1 es. in coll. ZMHB, 1 es. in CMS, 1 es. in CMF; Keetmanshoop Dist., Gellap Ost 3, 23 km NW Keetmanshoop, 26°24'06,1" S / 18°00'26,4" E, 14/15-X-2001, A Hoffmann!, 1 es. in coll. ZMHB.

## SOUTH AFRICA

### *Augyles pallens* (Charpentier, 1965)

Northern Prov., Messina Nat. Res., 22°21' S / 30°03' E, light trap, 12/14-XII-2000, Müller & Burger!, 36 es. in coll. TMSA, 2 es. in CMS, 2 es. in CMF; Northern Cape Prov., Richtersveld N. P., Richterberg Camp, 28°15'02" S / 17°12'48" E, 9-IX-2004, M. & B. Uhlig!, 3 es. in coll. ZMHB, 1 es. in CMS, 1 es. in CMF; Northern Cape Prov., Richtersveld N. P., De Hoop, Oranje river bank, washing, 28°11'00,0" S / 17°10'42,9" E, 22-IX-2003, Willers!, 2 es. in coll. ZMHB; N-Transvaal, Louis Trich.-Vivo, 32°01' S / 29°42' E, airplankton, 22-IV-1976, Endrödy-Younga!, 1 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Skukuza Res. Camp., 24°59' S / 31°36' E, UV light & trap, 28/29-I-1994, Endrödy-Younga!, 16 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; 25-II-1995, Endrödy-Younga!, 2 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF, 1-III-1995, Endrödy-Younga!, 1 es. in coll. TMSA, 13-I-1996, Endrödy-Younga!, 1 es. in coll. TMSA, 5-III-1996, Endrödy-Younga!, 1 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Skukuza Res. Camp. 4 km NE, 24°59' S / 31°38' E, UV light collection, 23-I-1995, Cl. Bellamy!, 2 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Letaba Riv. bel dam, 23°46' S / 31°30' E, shorewashing, 1-III-1995, Endrödy-Younga!, 12 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Transvaal, Kruger Nat. Park, Mathlakusapan, 22°37' S / 31°22' E, shorewashing, 9-II-1994, Endrödy-Younga!, 1 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Levuvu River, 22°27' S / 31°10' E, shorewashing, 12-II-1994, Endrödy-Younga!, 1 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Pafuri research camp, 22°25' S / 31°12' E, UV light, 30-I-1994, Endrödy-Younga!, 2 es. in coll. TMSA, UV light & trap, 14-II-1994, Endrödy-Younga!, 3 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF, kerosene light, 18-XI-1994, Endrödy & Bellamy!, 1 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Limpopo River, Pafuri N, 21°22' S / 30°13' E, shorewashing, 4-II-1994, Endrödy-Younga!, 6 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Transvaal, Kruger Nat. Park, Punda Maria Ngotsodam, 21°26' S / 31°14' E, shorewashing, 7-II-1994, Endrödy-Younga!, 1 es. in coll. TMSA; Transvaal, Letsitele, 4/15-III-1974, R. Parrot leg., 1 es. in coll. TMSA; Transvaal, Naboomsp. Torino Ranche, 24°37' S / 28°38' E, UV light, 14-I-1990, Endrödy-Younga!, 1 es. in coll. TMSA; Limpopo Prov., Der Brochen, 25°04' S / 30°07' E, light trap, 15-III-1976, TMSA staff!, 1 es. in coll. TMSA; Waterberg, Geelhoutbush farm, 24°22' S / 27°33' E, UV light, 2/3-X-1995, Endrödy & Bellamy!, 3 es. in coll. TMSA; KwaZulu-Natal, Ndumu Store, 26°55' S / 32°18' E, at flood light, 1-XII-1992, Endrödy-Younga!, 1 es. in coll. TMSA; KwaZulu-Natal, Ndumu Nature Res., 26°53' S / 32°16' E, 12-VI-1989, shorewash fresh wat., Endrödy & Klimaszew!, 2 es. in coll. TMSA; KwaZulu-Natal, Hluhluwe Game Res., 28°05' S / 32°04' E, 17/27-XI-1992, shorewash slowwat, Endrödy-Younga!, 12 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Cape Amatole, Isidenge For. St. A1, 32°41' S / 27°16' E, UV light, 22-XI-1987, Endrödy-Younga!, 1 es. in coll. TMSA; Mpumalanga, Der Brochen Farm, 25°04' S / 30°07' E, light trap, 11-II-2002, TMSA staff!, 1 es. in coll. TMSA; Mpumalanga, Steelport, Didingwe lodg, 25°00' S / 30°07' E, light trap, TMSA staff!, 2 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF.

### *Heterocerus atroincertus* Charpentier, 1965

Northern Prov., Messina Nat. Res., 22°21' S / 30°03' E, light trap, 11/13-XII-2000, E - Y: 3397, Müller & Burger!, 4 es. in coll. TMSA, 1 es. in CMS; Transvaal, Kruger Nat. Park, Skukuza sabie riv., 24°57' S / 30°42' E, shorewashing, 22-II-1995, Endrödy-Younga!, 1 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Skukuza Res. Camp., 24°59' S / 31°36' E, UV light & trap, 28-I-1994, Endrödy-Younga!, 5 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; KwaZulu-Natal, Tembe, Masizwana for., 27°01' S / 32°29' E, light trap, 18-XI-2002, J. Harrison & R. Müller!, 1 es. in coll. TMSA; KwaZulu-Natal, Tembe Elephant Park, 27°03'

S / 32°25' E, light trap at camp, 17-XI-2002, J. Harrison & R. Müller!, 1 es. in coll. TMSA; Zululand, Hluhluwe Game Res., 28°05' S / 32°04' E, 27-XI-1992, shorewash slowwat, Endrödy-Younga!, 24 es. in coll. TMSA, 3 es. in CMS, 3 es. in CMF; W Province, Soutpans, Tswaing, 25°24' S / 27°33' E, on black light, 4-XII-1996, R. Müller!, 2 es. in coll. TMSA, 1 es. in CMF; Gauteng Prov., Cullinan, Premier Mine Reserve, 25°40' S / 28°29' E, light trap, 11-XII-2001, TMSA staff!, 1 es. in coll. TMSA ; Mpumalanga Helena Farm, m 1091, 25°02' S / 30°07' E, shorewashing, 22-X-2001, TMSA staff!, 3 es. in coll. TMSA.

*Heterocerus elongatus* Grouvelle, 1896

Northern Prov., Messina Nat. Res., 22°21' S / 30°03' E, light trap, 11/13-XII-2000, E - Y: 3397, Müller & Burger!, 4 es. in coll. SANC, 25 es. in coll. TMSA, 1 es. CMS, 1 es. CMF ; Northern Prov., Arbor farm Levubu, 23°05' S / 30°17' E, at light, 28-I-1998, R. Müller!, 3 es. in coll. TMSA ; Northern Prov., Limpopo, Ben Lavin Nat. Reserve, at light, 8/14-XII-2000, M. Krüger!, 2 es. in coll. TMSA ; Gauteng, Tswaing, 25°24' S / 28°06' E, light trap, 16-II-2003, TMSA staff!, 6 es. in coll. TMSA, 1 es. in CMS, 1 es. in coll. CMF; Gauteng, Cullinan, Premier Mine Reserve, 25°40' S / 28°29' E, light trap, 22-XI-2001, TMSA staff!, 1 es. in coll. TMSA ; Gauteng, Cullinan, Windybrow, 25°41' S / 28°30' E, light trap, 23-I-2002, TMSA staff!, 1 es. in coll. TMSA ; Northwest Prov., Soutpans, Tswaing, 25°24' S / 28°06' E, at light, 4-XII-1996, R. Müller!, 2 es. in coll. TMSA ; Transvaal, Letsitele, 4/15-III-1974, R. Parrot!, 1 es. in coll. TMSA ; Transvaal, Kruger Nat. Park, Skukuza, 25°00' S / 31°35' E, 26-XI/5-XII-1993, Krüger & Dunning!, 4 es. in coll. TMSA ; Transvaal, Kruger Nat. Park, Skukuza Res. Camp., 24°59' S / 31°35' E, UV light, 28-I-1994, Endrödy-Younga!, 2 es. in coll. TMSA, 25-II-1995, Endrödy-Younga!, 1 es. in coll. TMSA, 1-III-1995, Endrödy-Younga!, 2 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Skukuza 12 km S, 25°04' S / 31°37' E, UV light, 6-III-1996, Endrödy-Younga!, 1 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Olifants camp, 23°58' S / 31°58' E, 8-XII-1988, light collecting, T. van Viegen!, 8 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Pafuri res. camp, 22°25' S / 31°12' E, UV ligh & trap, 31-I-1994, Endrödy-Younga!, 4 es. in coll. TMSA, 1 es. in CMF, 1 es. in CMS; Transvaal, Naboomsp. Torino Ranche, 24°37' S / 28°38' E, 15-I-1990, UV light, Endrödy-Younga!, 2 es. in coll. TMSA; Transvaal, Nelshoogte Galery Forest below Station, 25°51' S / 30°53' E, UV light, 4-XII-1987, Endrödy-Younga!, 1 es. in coll. TMSA; KwaZulu-Natal, Ndumu, 26°55' S / 32°18' E, 20/21-XI-2002, light trap, J. Harrison & R. Müller!, 3 es. in coll. TMSA; KwaZulu-Natal, Ndumu Banzi, fresh wat. pan, 26°53' S / 32°16' E, 16-II-1989, shorewashing, Endrödy & Klimaszew!, 22 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; KwaZulu-Natal, Ndumu Game Res., 26°54' S / 32°17' E, 2-XII-1992, UV light, Endrödy-Younga!, 3 es. in coll. TMSA; KwaZulu-Natal, Ndumu Nature Res., 26°53' S / 32°16' E, 12-VI-1986, shorewash. fresh wat., Endrödy & Klimaszew!, 19 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; KwaZulu-Natal, Tembe Elephant Park, 27°03' S / 32°25' E, light trap at camp, 17/19-XI-2002, J. Harrison & R. Müller!, 14 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Swaziland, Caprivi Bagani, 20-III-1983, Croon!, 1 es. in coll. TMSA ; Noord-Wes, surr. of Swartruggens, 18-IV-2003, A. Sforzi & L. Bartolozzi, 1 es. in coll. MZUF, 1 es. in CMS.

*Heterocerus incertus* Grouvelle, 1896

Transvaal, Kruger Nat. Park, Skukuza Res. Camp., 24°59' S / 31°36' E, UV light & trap, 29-I-1994, Endrödy-Younga!, 1 es. in coll. TMSA, 1 es. in CMS; Transvaal, Kruger Nat. Park, Skukuza sabie riv., 24°57' S / 30°42' E, shorewashing, 22-II-1995, Endrödy-Younga!, 1 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Skukuza, 24°59' S / 31°35' E, UV light, 17-I-1996, Endrödy-Younga!, 1 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Mathlakusapan, 22°37' S / 31°22' E, shorewashing, 9-II-1994, Endrödy-Younga!, 4 es. in coll. TMSA, 1 es. in CMF; Transvaal, Kruger Nat. Park, Malonga sands, 22°38' S / 31°17' E, UV light, 9-II-1994, Endrödy-Younga!, 1 es. in coll. TMSA.

*Heterocerus nodieri* Grouvelle, 1919

Transvaal, Nelshoogte galery for. below St., 25°51' S / 30°53' E, UV light collection, 4-XII-1986, Endrödy-Younga!, 1 es. in coll. TMSA.

*Nota:* prima segnalazione della specie per il South Africa.

*Heterocerus ornatus* Grouvelle, 1906

Northern Prov., Messina Nat. Res., 22°21' S / 30°03' E, light trap, 11-XII-2000, E - Y: 3397, Müller & Burger!, 31 es. in coll. SANC, Messina, Nat. Res., 22°21' S / 30°03' E, light trap, 12/13-XII-2000, Müller & Burger!, 247 es. in coll. TMSA, 4 es. in CMS, 4 es. in CMF; Ben Lavin Nat. Res., at light, 8/14-XII-2000, M. Krüger!, 1 es. in coll. TMSA ; Transvaal, Kruger Nat. Park, Skukuza, 24°59' S / 31°35' E, UV light, 17-I-1996, Endrödy-Younga!, 4 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Skukuza Res. Camp., 24°59' S / 31°35' E, UV light, 28/29-I-1994, Endrödy-Younga!, 8 es. in coll. TMSA, 1 es. in CMF, 13-I-1996, Endrödy-Younga!, 5 es. in coll. TMSA, 1 es. in CMS, 3-III-1996, Endrödy-Younga!, 46 es. in coll. TMSA, 2 es. in CMS, 2 es. in CMF; Transvaal, Kruger Nat. Park, Skukuza research, ca 25°00' S / 31°35' E, UV light, 19-II-1995, Endrödy-Younga!, 1 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Skukuza, fish. trail, 24°59' S / 31°38' E, UV light, 8-III-1996, Endrödy-Younga!, 7 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Skukuza 3 km S, 24°58' S / 31°34' E, pyrethrum fogging, 6-III-1996, Endrödy-Younga!, 1 es. in coll. TMSA ; Transvaal, Kruger Nat. Park, Skukuza 12 km S, 25°04' S / 31°37' E, UV light, 6-III-1996, Endrödy-Younga!, 56 es. in coll. TMSA, 2 es. in CMS, 2 es. in CMF; Transvaal, Kruger Nat. Park, Skukuza 13 km SSE, 25°04' S / 31°37' E, pyrethrum fogging, 7-III-1996, Endrödy-Younga!, 1 es. in coll. TMSA ; Transvaal, Kruger Nat. Park, Letaba River bel. dam, 23°46' S / 31°30' E, shorewashing, 1-III-1995, Endrödy-Younga!, 2 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Transvaal, Kruger Nat. Park, Levuvu River, 22°27' S / 31°10' E, shorewashing, Endrödy-Younga, 2 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Malonga sands, 22°38' S / 31°17' E, UV light, 9-II-1994, Endrödy-Younga, 1 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Mathlakusapan, 22°37' S / 31°22' E, shorewashing, 9-II-1994, Endrödy-Younga!, 11 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Transvaal, Kruger Nat. Park, Kruger Gate-Skukuza, ca 24°59' S / 31°32' E, air plancton, 20-II-1995, Endrödy-Younga!, 1 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Pafuri Res. Camp., 22°25' S / 31°12' E, UV light, 30-I-1994, Endrödy-Younga!, 1 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Punda Maria Ngotsodam, 21°26' S / 31°14' E, shorewashing, 7-II-1994, Endrödy-Younga!, 1 es. in coll. TMSA; Transvaal, Letsitele, 4/15-III-1974, R. Parrot!, 4 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; KwaZulu-Natal, Ndumu Banzi, fresh wat. pan, 26°53' S / 32°16' E, 16-II-1989, shorewashing, Endrödy & Klimaszew!, 1 es. in coll. TMSA; Mpumalanga Steelpoort District, site 10 Der Brochen Shore, m 1131, 25°04' S / 30°07' E, 21/26-X-2001, SRK Consulting Animal Life Study, TMSA staff!, 1 es. in coll. TMSA; Gauteng Cullinan Premier Mine Reserve, 25°40' S / 28°29' E, light trap, 22-XI-2001, TMSA staff!, 1 es. in coll. TMSA, 17-I-2002, TMSA staff!, 1 es. in coll. TMSA.

*Heterocerus thebaicus australis* Charpentier, 1965

Northern Prov., Messina Nat. Res., 22°21' S / 30°03' E, light trap, 11/14-XII-2000, E - Y: 3397, R. Müller & M. Burger!, 33 es. in coll. SANC, 149 es. in coll. TMSA, 4 es. CMS, 4 es. CMF; Northern Prov., Amatola, Scott farm, 22°56' S / 29°23' E, at light, 26-I-1998, R. Müller!, 4 es. in coll. TMSA, 1 es. CMS ; Northern Prov., Soutpansbg Amatola fm, 22°56' S / 29°23' E, light trap, 16-XII-2003, R. Müller!, 25 es. in coll. TMSA, 2 es. in CMS, 2 es. in CMF; Northern Prov., Blouberg, 23°03' S / 29°04' E, at light, 25-XI-1996, Krüger & Dombrowsky!, 1 es. in coll. TMSA ; Northern Prov., Limpopo, Mussina m 568, 22°19' S / 30°00' E, at light, 10-XII-2005, Gussmann & Müller!, 19 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Northern Prov., Limpopo, 20 km E Vivo, 22°57' S / 29°23' E, light trap, 25-III-2006, R. Müller!, 2 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Northern Prov., Limpopo, Tshipisie m 517, 22°36' S / 30°10' E, light trap, 11-XII-2005, Gussmann & Müller!, 38 es. in coll. TMSA, 3 es. in CMS, 3 es. in CMF; Northwest Prov., Soutpans, Tswaing, 25°24' S / 28°06' E, at light, 4-XII-1996, R. Müller!, 11 es. in coll. TMSA, 1 es. CMS, 1 es. CMF ; Transvaal, Kruger Nat. Park, Skukuza Res. Camp., 24°59' S / 31°35' E, UV light & trap, 28/29-I-1994, Endrödy-Younga!, 29 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF, 25-II-1995, Endrödy-Younga!, 4 es. in coll. TMSA, 1 es. CMS, 1-III-1995, Endrödy-Younga!, 16 es. in coll. TMSA, 1 es. CMF, 13/18-I-1996, Endrödy-Younga!, 9 es. in coll. TMSA, 5-III-1996, Endrödy-Younga!, 2 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Skukuza Res. Camp., 24°59' S / 31°38' E, UV light, 23-I-1995, C.L. Bellamy!, 8 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Skukuza Research Camp, 25°00' S / 31°35' E, UV light & trap,

22-I-1995, C.L. Bellamy!, 2 es. in coll. TMSA, 19-II-1995, Endrödy-Younga!, 10 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Skukuza 12 km S, 25°04' S / 31°37' E, UV light, 6-III-1996, Endrödy-Younga!, 3 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Skukuza, sabie riv., 24°59' S / 31°38' E, UV light, 14-I-1996, Endrödy-Younga!, 1 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Skukuza, 24°59' S / 31°35' E, UV light, 17-I-1996, Endrödy-Younga!, 2 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Pafuri Res. Camp., 22°25' S / 31°12' E, UV light, 30/31-I-1994, Endrödy-Younga!, 12 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Transvaal, Kruger Nat. Park, Pafuri Res. Camp., 22°25' S / 31°12' E, UV light & trap, 14-II-1994, Endrödy-Younga!, 21 es. in coll. TMSA, 1 es. in CMS, 2 es. in CMF; Transvaal, Kruger Nat. Park, Pafuri Res. Camp. 3 km W, 22°25' S / 31°10' E, UV light, 2-II-1994, Endrödy-Younga!, 3 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Pafuri Res. Camp. 4 km W, 22°25' S / 31°09' E, UV light & trap, 1-II-1994, Endrödy-Younga!, 7 es. in coll. TMSA, 1 es. in CMS; Transvaal, Kruger Nat. Park, Levuvu River, 22°27' S / 31°10' E, shorewashing, 12-II-1994, Endrödy-Younga!, 16 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Transvaal, Kruger Nat. Park, Letaba River bel dam, 23°46' S / 31°30' E, shorewashing, 1-III-1995, Endrödy-Younga!, 4 es. in coll. TMSA; Transvaal, Kruger Nat. Park, Olifants camp, 23°58' S / 31°58' E, 8-XII-1988, light collecting, T. van Viegen!, 8 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Transvaal, Letsitele, 4/15-III-1974, R. Parrot!, 2 es. in coll. TMSA; Transvaal, Manyeleti, Game Res., 24°38' S / 31°28' E, light collecting, 8-XII-1986, G. Haagner!, 2 es. in coll. TMSA; Transvaal, Naboomsp. Torino Ranche, 24°37' S / 28°38' E, UV light, 14/15-I-1990, Endrödy-Younga!, 10 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Transvaal, Nelshoogte Galery Forest Station, 25°50' S / 30°50' E, UV light, 30-XI-1986, Endrödy-Younga!, 10 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Transvaal, Nelshoogte Galery Forest below Station, 25°51' S / 30°53' E, UV light, 4-XII-1987, Endrödy-Younga!, 20 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; N Transvaal, Louis Trich.-Vivo, 32°01' S / 29°42' E, 22-IV-1976, airplankton, Endrödy-Younga!, 2 es. in coll. TMSA; Gauteng Prov., Cullinan, Premier Mine Res., 25°40' S / 28°29' E, light trap, 21/22-XI-2001, TMSA staff!, 3 es. in coll. TMSA, 1 es. CMS, 1 es. CMF, 11-XII-2001, TMSA staff!, 1 es. in coll. TMSA, 17-I-2002, TMSA staff!, 1 es. in coll. TMSA; Gauteng Prov., Tswaing, 25°24' S / 28°06' E, ligh trap, 16-II-2003, TMSA staff!, 4 es. in coll. TMSA, 24-XI-2003, TMSA staff!, 43 es. in TMSA, 4 es. in CMS, 4 es. in CMF; Mpumalanga Kopees Kraal, Lydenbg, 25°07' S / 30°12' E, shorewashing, 5/6-XII-1996, Endrödy-Younga!, 12 es. in coll. TMSA, 1 es. CMS, 1 es. CMF; Mpumalanga Steelport, Didingwe lodg, 25°00' S / 30°07' E, light trap, 16-I-2003, TMSA staff!, 1 es. in coll. TMSA; Mpumalanga Ezemvelo Nat. R., m 1374, 25°42' S / 29°01 E, light trap, 26/27-I-2004, TMSA staff!, 5 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Natal, Karkloof for. m 1300, 29°18' S / 30°13' E, UV light in forest, Endrödy-Younga!, 1 es. in coll. TMSA; Natal, Drakensberg, Mike's Pass house, 28°56' S / 29°15' E, UV light, 23-I-1997, Endrödy-Younga!, 7 es. in coll. TMSA, 1 es. CMS, 1 es. CMF; Natal, Drakensberg, Cathedral Peak St., 28°56' S / 29°14' E, UV light, 18-I-1997, Endrödy-Younga!, 9 es. in coll. TMSA, 1 es. CMF; Natal, Drakensberg, Cathedral Peak, 28°57' S / 29°12' E, 15-III-1976, at light, Endrödy-Younga!, 7 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; Natal, Drakensberg, Cathedral Peak, 28°57' S / 29°12' E, 18-III-1976, airplankton forest, Endrödy-Younga!, 1 es. in coll. TMSA; Natal Middld., Karkloof Forest, m 1300, 29°18' S / 30°13' E, UV light in forest, 11-XII-1989, Endrödy & Klimaszew!, 1 es. in coll. TMSA; KwaZulu-Natal, Tembe Elephant Park, 27°03' S / 32°25' E, light trap at camp, 17-XI-2002, J. Harrison & R. Müller!, 2 es. in coll. TMSA; KwaZulu-Natal, Ndumu, 26°55' S / 32°18' E, light trap, 21-XI-2002, J. Harrison & R. Müller!, 16 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; KwaZulu-Natal, Ndumu Banzi, fresh wat. pan, 26°53' S / 32°16' E, 16-II-1989, shorewashing, Endrödy & Klimaszew!, 25 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; KwaZulu-Natal, Ndumu Nature Res., 26°53' S / 32°16' E, 12-VI-1986, shorewash fresh wat., Endrödy & Klimaszew!, 17 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF, 26°54' S / 32°17' E, light trap, 16/21-XI-2002, J. Harrison & R. Müller!, 4 es. in coll. TMSA; KwaZulu-Natal, Ndumu camp, 26°55' S / 32°18' E, light trap, 22-XI-2002, J. Harrison & R. Müller!, 1 es. in coll. TMSA; KwaZulu-Natal, Kosi Bay, 26°58' S / 32°50' E, light trap, 14-XI-2002, Burger, Harrison, Müller!, 1 es. in coll. TMSA; KwaZulu-Natal, Hluhluwe Game

Res., 28°05' S / 32°04' E, 17/27-XI-1992, shorewash slowwat, Endrödy-Younga!, 4 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; KwaZulu-Natal, Ngome State Forest, 27°48' S / 31°25' E, m 1150, UV light, 12/17-XI-1995, Krüger & Dombrowsky!, 1 es. in coll. TMSA; Waterberg, Geelhoutbush farm, 24°22' S / 27°33' E, UV light, 2/3-X-1995, Endrödy & Bellamy!, 3 es. in coll. TMSA; Littlekarroo, Bavianskloof, 33°38' S / 24°15' E, UV light, 27-X-1993, Endrödy-Younga!, 1 es. in coll. TMSA; W Cape, Gamkaberg Nat. Res., 33°41' S / 21°54' E, UV light, 8-XII-1995, C.L. Bellamy!, 3 es. in coll. TMSA; Cape Amatole, Isidenge For. St. A1, 32°41' S / 27°16' E, UV light, 22-XI-1987, Endrödy-Younga!, 8 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; E Cape, Doornkraal, 33°39' S / 24°22' E, UV light, 4-XII-1995, C.L. Bellamy!, 2 es. in coll. TMSA; Transkei Magwa Tee Estate, 31°23' S / 29°41' E, UV light collection, 27-XI-1988, Endrödy-Younga!, 1 es. in coll. TMSA.

#### *Heterocerus uhligi* Mascagni & Monte, 2001

Eastern Cape Prov., Addo Elephant N. P., 33°26'38" S / 25°44'52" E, 1/2-XI-2006, M. & B. Uhlig!, 1 es. in coll. ZMHB.

#### *Heterocerus vulpes* Grouvelle, 1906

Northern Prov., Messina Nat. Res., 22°21' S / 30°03' E, light trap, 13-XII-2000, R. Müller & M. Burger!, 1 es. in coll. TMSA ; KwaZulu-Natal, Tembe Elephant Park, 27°03' S / 32°25' E, light trap at camp, 17/19-XI-2002, J. Harrison & R. Müller!, 7 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; KwaZulu-Natal, Tembe, Masizwana for., 27°01' S / 32°29' E, light trap, 18-XI-2002, J. Harrison & R. Müller!, 16 es. in coll. TMSA, 1 es. in CMS, 1 es. in CMF; KwaZulu-Natal, Kosi Bay forest, 26°58' S / 32°50' E, light trap, 12-XI-2002, Burger, Harrison & Müller!, 1 es. in coll. TMSA ; KwaZulu-Natal, Hluhluwe Game Res., 28°05' S / 32°04' E, 27-XI-1992, shorewash slowwat, Endrödy-Younga!, 2 es. in coll. TMSA; Swaziland, Caprivi Bagani, 20-III-1983, Croon!, 3 es. in coll. TMSA; Gauteng Prov., Tswaing, 25°24' S / 28°06' E, lighth trap, 24-XI-2003, TMSA staff!, 1 es. in coll. TMSA.

### TANZANIA

#### *Heterocerus abyssinicus* Mamitza, 1930

Lac Rukwa, 1946, H. & J. Brédé!, 1 es. in coll. ISBN; Tumba, Rukwa, 15-XII-1950, H. & J. Brédé!, 1 es. in coll. ISBN; Ikuu Camp, 24-XII-1950, H. & J. Brédé!, 1 es. in coll. ISBN.

#### *Heterocerus alessandrae* Mascagni & Monte, 2000

Arusha Prov., Mto Wa Mbu, m 1170, 26-X-2008, L. Bartolozzi!, 1 es. in coll. MZUF, 1 es. in CMS.

#### *Heterocerus atroincertus* Charpentier, 1965

Morogoro Prov., surr. Mang'ula, m 315, 07°50'55" S / 36°53'22" E, at light, 17/18-VII-2004, A. Sforzi & L. Bartolozzi!, 1 es. in CMS.

#### *Heterocerus elongatus* Grouvelle, 1896

Morogoro Prov., surr. Mang'ula, m 315, 07°50'55" S / 36°53'22" E, at light, 17/18-VII-2004, A. Sforzi & L. Bartolozzi!, 11 es. in coll. MZUF, 4 es. in CMS, 1 es. in CMF; Morogoro Prov., Ruaha Valley, m 519, 07°31'21" S / 36°35'56" E, at light, 10-VII-2004, A. Sforzi & L. Bartolozzi!, 1 es. in CMS; Morogoro Prov., surr. Doma, m 430, 06°56'35" S / 37°16'05" E, at light, 21-VII-2004, A. Sforzi & L. Bartolozzi!, 2 es. in coll. MZUF, 1 es. in CMS.

### ZAIRE

#### *Augyles breviusculus* (Charpentier, 1962)

Faradje, Mongapi, 13-IV-1930, A. Collart!, 1 es. in coll. ISBN.

#### *Augyles niloticus* (Grouvelle, 1896)

Leopoldville, VI-1927, A. Collart!, 1 es. in coll. ISBN.

*Nota:* prima segnalazione della specie per lo Zaire.

*Augyles parvus* (Grouvelle, 1909)

Libenge, Zambi, s. sable rive, 6-I-1948, R. Cremer & M. Neuman!, 91 es. in coll. ISBN, 1 es. in CMS; Libenge, Muwuya, 12-I-1948, R. Cremer & M. Neuman!, 1 es. in coll. ISBN.

*Heterocerus abyssinicus* Mamitzza, 1930

Lac Edouard, Bitshumbi, 15/25-I-1953, Mission K.E.A., J. Verbeke!, 4 es. in coll. ISBN, 1 es. in CMS; Bitshumbi, 0°40'56" S / 29°23'12" E, light trap, 25-III-1953, Mission K.E.A., 17 es. in coll. ISBN, 1 es. in CMS, 1 es. in CMF, 31-III-1953, Mission K.E.A., 78 es. in coll. ISBN, 7 es. in CMS, 23-X-1953, Mission K.E.A., 87 es. in coll. ISBN, 7 es. in CMS.

*Nota:* prime segnalazioni della specie per lo Zaire.

*Heterocerus atroinertus* Charpentier, 1965

Bitshumbi, 0°40'56" S / 29°23'12" E, light trap, 25-III-1953, Mission K.E.A., 2 es. in coll. ISBN, 31-III-1953, Mission K.E.A., 3 es. in coll. ISBN, 1 es. in CMS, 23-X-1953, Mission K.E.A., 6 es. in coll. ISBN, 4 es. in CMS.

*Heterocerus capenosoides* Charpentier, 1962

Libenge, 19-I-1948, R. Cremer & M. Neuman!, 1 es. in coll. ISBN; Leopoldville, VI-1927, A. Collart!, 1 es. in coll. ISBN, 1 es. in CMS.

*Heterocerus denticulatus* Mamitzza, 1930

Leopoldville, VI-1927, A. Collart!, 1 es. in coll. ISBN, 1 es. in CMS.

*Heterocerus thebaicus evanescens* Mamitzza, 1930

Libenge, Zambi, s. sable rive, 6-I-1948, R. Cremer & M. Neuman!, 3 es. in coll. ISBN, 1 es. in CMS.

*Heterocerus wittei* Mamitzza, 1939

Bitshumbi, 0°40'56" S / 29°23'12" E, light trap, 25-III-1953, Mission K.E.A., 22 es. in coll. ISBN, 1 es. in CMS, 31-III-1953, Mission K.E.A., 59 es. in coll. ISBN, 4 es. in CMS, 23-X-1953, Mission K.E.A., 195 es. in coll. ISBN, 15 es. in CMS.

## ZAMBIA

*Heterocerus abyssinicus* Mamitzza, 1930

Mweru-Wantipa, I-1945, H. & J. Brédo!, 2 es. in coll. ISBN.

*Nota:* prima segnalazione della specie per lo Zambia.

## ZIMBABWE

*Heterocerus thebaicus australis* Charpentier, 1965

Strasse zw. Zvishavane und Mbalabala, Bushcamp 60 km WSW Zvishavane, m 1260, 20°28'48.7" S / 29°24'38.7" E, at light, U. Göllner!, 1 es. in coll. ZMHB; Matabeleland, Lake Mutirikwi, Masvingo Kyle N. P., m 1100, 20°13' S / 31°00' E, 1/4-XII-1993, J. Deckert!, 2 es. in coll. ZMHB, 1 es. in CMS.

A conclusione di questo lavoro forniamo, per ogni nazione del continente africano, l'elenco di tutte le specie note:

### Africa paleartica:

**Algeria:** *Augyles flavidus*, *A. gravidus*, *A. maritimus*, *A. marmota*, *A. niloticus*, *A. senescens*, *A. turanicus*, *Heterocerus aragonicus*, *H. dayremi*, *H. fenestratus*, *H. flexuosus*, *H. holosericeus*, *H. humilis*, *H. marginatus*, *H. pallidivestis*, *H. persicus* (MASCAGNI & MONTE, 2008). **Canary Islands:** nessuna specie. **Egypt:** *Augyles niloticus*, *Heterocerus fenestratus*, *H. flexuosus*, *H. medius*, *H. thebaicus* ssp. *thebaicus* (MASCAGNI & MONTE, I.c.).

**Libya:** *Augyles flavidus* (MASCAGNI & MONTE, I.c.). **Madera Archipelago:** nessuna specie.

**Morocco:** *Augyles flavidus*, *A. gravidus*, *A. maritimus*, *A. niloticus*, *A. senescens*, *Heterocerus aragonicus*, *H. fenestratus*, *H. flexuosus*, *H. holosericeus* (MASCAGNI & MONTE,

I.c.). **Tunisia:** *Augyles flavidus*, *A. gravidus*, *A. maritimus*, *A. marmota*, *Heterocerus aragonicus*, *H. dayremi*, *H. fenestratus*, *H. flexuosus*, *H. holosericeus*, *H. ottomerkli*, *H. persicus*, *H. schatzmayri* (MASCAGNI & MONTE, I.c.).

#### Regione Afrotropicale:

**Angola:** *Augyles breviusculus*, *Heterocerus alluaudi*, *H. angolensis*, *H. elongatus*, *H. incertus*, *H. microincertus*, *H. novoincertus*, *H. thebaicus* ssp. *australis*. **Benin:** *Heterocerus elongatus*. **Botswana:** *Augyles breviusculus*, *Augyles namibiensis*, *Heterocerus atroincertus*, *H. bredoi*, *H. elongatus*, *H. ornatus*, *H. thebaicus* ssp. *australis*, *H. vulpes*. **Burkina Faso:** *Augyles parvus*, *Heterocerus elongatus*, *H. nodieri*. **Burundi:** nessuna specie. **Camerun:** *Heterocerus elongatus*. **Cape Verde:** *Heterocerus elongatus*, *H. flexuosus*. **Central African Republic:** *Augyles breviusculus*, *A. parvus*, *Heterocerus elongatus*. **Chad:** *Augyles parvus*, *Heterocerus bredoi*, *H. hardei*, *H. medius*, *H. mus*, *H. thebaicus* ssp. *evanescens*, *H. tibesticola*. **Congo:** *Augyles parvus*, *Heterocerus capenosoides*, *H. denticulatus*. **Côte d'Avoire:** *Augyles breviusculus*, *Heterocerus elongatus*, *H. nodieri*. **Eritrea:** *Augyles cibratellus*, *A. flavidus*, *Heterocerus flexuosus*. **Ethiopia:** *Heterocerus abyssinicus*, *H. elongatus*, *H. hardei*, *H. incertus*, *H. medius*. **Gabon:** nessuna specie. **Gambia:** *Heterocerus elongatus*. **Ghana:** *Augyles niloticus*, *Heterocerus elongatus*, *H. nodieri*. **Gibuti:** nessuna specie. **Guinea:** *Heterocerus capenosoides*, *H. ornatus*. **Guinea Bissau:** nessuna specie. **Guinée Equatoriale:** nessuna specie. **Kenya:** *Augyles cibratellus*, *A. niloticus*, *A. pallens*, *Heterocerus abyssinicus*, *H. elongatus*, *H. incertus*, *H. katouensis*, *H. nodieri*, *H. ornatus*, *H. snizeki*. **Liberia:** *Heterocerus elongatus*. **Madagascar:** *Heterocerus alluaudi*, *H. dubitabilis*, *H. elongatus*, *H. fairmairei*, *H. incertus*, *H. montanus*, *H. ornatus*, *H. vulpes*. **Malawi:** *Heterocerus atroincertus*, *H. elongatus*, *H. thebaicus* ssp. *australis*. **Mali:** *Augyles flavidus*, *A. parvus*, *Heterocerus elongatus*, *H. sennarensis*. **Mauritania:** *Augyles flavidus*, *Heterocerus elongatus*, *H. flexuosus*, *H. medius*, *H. thebaicus* ssp. *evanescens*. **Mozambique:** *Augyles pallens*, *Heterocerus atroincertus*, *H. elongatus*, *H. ornatus*, *H. thebaicus* ssp. *australis*. **Namibia:** *Augyles breviusculus*, *A. namibiensis*, *A. niloticus*, *Heterocerus alluaudi*, *H. bredoi*, *H. elongatus*, *H. ornatus*, *H. pavliceki*, *H. thebaicus* ssp. *australis*, *H. vulpes*. **Niger:** *Heterocerus elongatus*, *H. evanescens*, *H. medius*. **Nigeria:** *Heterocerus denticulatus*, *H. elongatus*, *H. incertus*, *H. medius*, *H. nodieri*, *H. parvus*, *H. planoincertus*, *H. sennarensis*. **Ruanda:** nessuna specie. **Senegal:** *Augyles flavidus*, *A. niloticus*, *A. parvus*, *Heterocerus capenosoides*, *H. elongatus*, *H. flexuosus*, *H. incertus*, *H. medius*, *H. nodieri*, *H. thebaicus* ssp. *evanescens*. **Sierra Leone:** *Heterocerus capenosoides*. **Somalia:** *Augyles cibratellus*, *A. flavidus*, *Heterocerus elongatus*, *H. medius*, *H. ornatus*. **South Africa:** *Augyles pallens*, *Heterocerus alluaudi*, *H. atroincertus*, *H. capensis*, *H. elongatus*, *H. incertus*, *H. meridionalis*, *H. nodieri*, *H. ornatus*, *H. peringueyi*, *H. thebaicus* ssp. *australis*, *H. uhligi*, *H. vulpes*. **Sudan:** *Augyles niloticus*, *A. parvus*, *Heterocerus elongatus*, *H. medius*, *H. sennarensis*, *H. thebaicus* ssp. *thebaicus*. **Tanzania:** *Augyles cibratellus*, *A. dubitabilis*, *A. parvus*, *Heterocerus abyssinicus*, *H. alessandrae*, *H. atroincertus*, *H. elongatus*, *H. incertus*, *H. medius*, *H. nodieri*, *H. ornatus*, *H. snizeki*. **Togo:** *Heterocerus elongatus*, *H. thebaicus* ssp. *evanescens*. **Uganda:** *Augyles cibratellus*, *Heterocerus incertus*, *H. medius*. **Zaire:** *Augyles breviusculus*, *A. flavidus*, *A. niloticus*, *A. parvus*, *Heterocerus abyssinicus*, *H. atroincertus*, *H. bredoi*, *H. capenosoides*, *H. denticulatus*, *H. elongatus*, *H. incertus*, *H. nodieri*, *H. rufoincertus*, *H. testaceus*, *H. thebaicus* ssp. *evanescens*, *H. wittei*. **Zambia:** *Augyles niloticus*, *A. pallens*, *Heterocerus abyssinicus*, *H. alluaudi*, *H. atroincertus*, *H. dubitabilis*, *H. elongatus*, *H. incertus*, *H. nodieri*, *H. ornatus*, *H. sennarensis*, *H. thebaicus* ssp. *australis*. **Zimbabwe:** *Augyles niloticus*, *A. pallens*, *Heterocerus alluaudi*, *H. atroincertus*, *H. elongatus*, *H. incertus*, *H. nodieri*, *H. ornatus*, *H. thebaicus* ssp. *australis*, *H. vulpes*.

#### Ringraziamenti

Desideriamo ringraziare i Dr. L. Bartolozzi (MZUF), J. Constant (ISBN), R. Müller (TMSA), W. Schwaller (SMNS), R. Stals (SANC), M. Uhlig (ZMHB), per averci consentito lo studio del materiale citato nel presente lavoro.

## Bibliografia

- MASCAGNI A., 2007. Terzo contributo alla conoscenza degli Heteroceridae della Namibia con descrizione di *Heterocerus schwallensis* spec. nov. (Coleoptera). *Opuscula zoologica fluminensis*, Flums (SG), 223: 1-4.
- MASCAGNI A. & MONTE C., 2000. Contributo alla conoscenza degli Heteroceridae della Tanzania con descrizione di *Heterocerus alessandrae* spec. nov. (Coleoptera). *Opuscula zoologica fluminensis*, Flums (SG), 184: 1-6.
- MASCAGNI A. & MONTE C., 2001. Contributo alla conoscenza degli Heteroceridae del Sudafrica e del Madagascar con descrizione di *Heterocerus uhligi* spec. nov. (Coleoptera). *Opuscula zoologica fluminensis*, Flums (SG), 197: 1-9.
- MASCAGNI A. & MONTE C., 2002. Contributo alla conoscenza degli Heteroceridae del Botswana, Malawi, Mozambico, Namibia, Zambia, Zimbabwe (Coleoptera). *Opuscula zoologica fluminensis*, Flums (SG), 206: 1-12.
- MASCAGNI A. & MONTE C., 2003a. Contributo alla conoscenza degli Heteroceridae dell'Angola, Camerun, Central African Republic, Congo, Eritrea, Ethiopia, Kenya Somalia, Sudan, Uganda, Zaire (Coleoptera). *Opuscula zoologica fluminensis*, Flums (SG), 208: 1-14.
- MASCAGNI A. & MONTE C., 2003b. Contributo alla conoscenza degli Heteroceridae di Cape Verde, Benin, Chad, Côte d'Avoire, Ghana, Guinea, Liberia, Mali, Mauritania, Niger, Nigeria, Senegal, Sierra Leone, Togo (Coleoptera). *Opuscula zoologica fluminensis*, Flums (SG), 213: 1-12.
- MASCAGNI A. & MONTE C., 2005. Primo aggiornamento alla check list degli Heteroceridae della Regione afrotropicale (Coleoptera). *Opuscula zoologica fluminensis*, Flums (SG), 219: 1-18.
- MASCAGNI A. & MONTE C., 2008. Contributo alla conoscenza degli Heteroceridae del Nord Africa (Coleoptera). *Onychium*, Firenze, 6: 64-71.
- SKALICKÝ S., 2004. Description of *Augyles nadae* sp. nov. with notes on Heteroceridae of Benin (Coleoptera). *Folia Heyrovskiana*, 12 (2-3): 137-140.

Indirizzo degli autori: Alessandro Mascagni & Cinzia Monte, Museo di Storia Naturale dell'Università di Firenze, Sezione di Zoologia "La Specola", Via Romana 17, 50125 Firenze (Italy), [pcfmas@tin.it](mailto:pcfmas@tin.it), [cinzia.monte@katamail.com](mailto:cinzia.monte@katamail.com)